
REPORT:

TermAppISONFT: Orkhestra Cross Test Performance
Summary

Code Magus Limited (England reg. no. 4024745)
Number 6, 69 Woodstock Road
Oxford, OX2 6EY, United Kingdom
www.codemagus.com
Copyright © 2021 by Code Magus Limited
All rights reserved

Contents

1	Introduction	2
2	Summary of successful outcomes for latest testing	3
2.1	Test 1 - TermAppISONFT - TermAppISO	3
3	Comparison of latest tests to pooled previous tests	3
3.1	Differences in response time distributions	3
3.1.1	Test 1 - TermAppISONFT - TermAppISO	3
3.2	Increases in the response times	4
3.3	Decreases in the response times	4
3.3.1	Test 1 - TermAppISONFT - TermAppISO	4
4	Comparison across all tests individually	5
4.1	Performance of authorisation_request_1100 with outcome: AUTHORISA- TION_RESPONSE_1110_OK	6
4.2	Performance of authorisation_request_1100 with outcome: disconnect	7
4.3	Performance of authorisation_request_1100 with outcome: timeout	8
4.4	Performance of transaction_advice_response_1230 with outcome: timeout	9
4.5	Performance of transaction_advice_response_1230 with outcome: TRANSAC- TION_ADVICE_RESPONSE_1230_OK	10
5	Session details	11

```
## Loading required package: lattice
##
## Attaching package: 'BSDA'
## The following object is masked from 'package:datasets':
##
##      Orange
## : starts: Thu May 13 08:57:38 2021
```

1 Introduction

There are three elements to this cross-test performance summary report. The first shows a summary of the percentage success of each function/operation/call. The second element compares the performance of the latest test(s) to the pooled performance of previous tests for each of the functions/operations/calls and outcomes. And the third element of this report compares the performance by function/operation/call by the outcome across multiple NFT result sets.

The percentage successful outcomes are presented as a summary for the latest test(s). This summary is ranked in increasing order of the percentage of good outcomes of that scenario against all attempts of that scenario in the test.

As a summary and for ranking the performance of the last tests results against previous test results, for each function/operation/call and outcome, the tests in the last test session are compared against the tests in previous sessions. This is accomplished by pooling the sample mean of the response times and pooling the sample standard deviations of response times across all prior tests, and then comparing the latest test(s) with the previous tests using `tsum.test`. The results are by ranked by the corresponding p -values in increasing order and tabulated. For each function/operation/call request, three comparison tests are made: The first determines a measure of the difference between the respective response time distributions; the second determines a measure of those response times that could be considered worse in the latest test(s) as compared to the pooled previous test; and the third determines a measure of those response times that could be considered better in the latest test(s) as compared to the pooled previous tests.

In addition to tabulating the response time means and standard deviations against function/operation/call and outcomes across the tests, box-plots are produced to visually compare the performance/outcomes over the various tests. In each case, the box-plots show up the 15 most extreme functions/operations/calls that are most different to the historic response time distributions, and then a box-plot each showing those that have response times greatest increase and decrease in their response times when compared to their respective historic counterparts.

The last section of the report compares the performance by function/operation/call by the outcome across multiple NFT result sets. The summary results have been taken from the application performance sections of the individual NFT sessions. The `Resp` value is the sample mean of the response times in seconds and the `StdDevis` the corresponding sample standard deviation. In each case only those values where the customer or business function arrival rate did not materially exceed the peak observed/production target are included in the calculation.

2 Summary of successful outcomes for latest testing

2.1 Test 1 - TermAppISONFT - TermAppISO

The following table is a summary of the outcomes of test 1 (TermAppISONFT - TermAppISO), showing the percentage of functions/operations/calls considered successful. The scenarios are shown from worst percentage good outcomes to best:

StartTime	TestNum	Label	Description	Basename	Outcome	Count	PercentResp	StdDev
2021-05-10 16:52:00	1	TermAppISONFT	Authorisation_request	AUTHORISATION_RESPONSE	OK	1000	100.00%	0.074
2021-05-10 16:52:00	1	TermAppISONFT	Transaction_advice_response	TRANSACTION_ADVICE_RESPONSE	OK	1000	100.00%	0.066

3 Comparison of latest tests to pooled previous tests

The last test date in the summary data is used to delimit the prior tests from the tests in the last test session. This section compares the tests performed on `testdate` to the tests that ran in sessions prior to this date. Comparisons are made only for the successful outcomes, and only the performance data where the rate in each of the tests included in the comparison did not exceed the target rate is included in the comparison.

3.1 Differences in response time distributions

The following show the comparisons of the good outcomes of the tests performed on 2021-05-10 as compared to the tests performed before this date. The table is ranked in increasing order of the p -values from the corresponding Welch Modified Two-Sample t-Test (two.sided), starting from the function/operation/call where the response time distribution differences are the greatest. Results are only shown for which the p -value is less than or equal to the cutoff value ($\alpha = 0.05$).


3.1.1 Test 1 - TermAppISONFT - TermAppISO

The following compare the responses time differences from the test started at 2021-05-10 16:52:00 to the tests from previous test sessions.

Basename	Outcome	Count	Resp	StdDev	PrevCount	PrevMean	PrevStdDev	pvalue.d
authorisation_request_1100	AUTHORISATION_RESPONSE	1000	OK	0.074	141402	2.976	5.913	0
transaction_advice_response_1100	TRANSACTION_ADVICE_RESPONSE	1000	OK	0.065	140625	0.421	0.339	0

Loading required package: grid

Items with largest difference in response time distribution



Key	Basename
A	authorisation_request_1100
B	transaction_advice_response_1230

3.2 Increases in the response times

There were no significant response time increases when comparing the test(s) in the last test session to tests from earlier test sessions for any of the items.

3.3 Decreases in the response times


The following show the comparisons of the good outcomes of the tests performed on 2021-05-10 as compared to the tests performed before this date. The table is ranked in increasing order of the p -values from the corresponding Welch Modified Two-Sample t-Test (less), starting from the function/operation/call where the response time decreases are the greatest. Results are only shown for which the p -value is less than or equal to the cutoff value ($\alpha = 0.05$).

3.3.1 Test 1 - TermAppISONFT - TermAppISO

The following compare the responses time decreases from the test started at 2021-05-10 16:52:00 to the tests from previous test sessions.

Basename	Outcome	Count	Resp	StdDev	PrevCount	PrevMean	PrevStdDev	pvalue
authorisation_request_1100	AUTHORISATION_RESPONSE_1100_OK	141402	2.976	5.913	0	0	0	0
transaction_advice_response_1230	TRANSACTION_ADVICE_RESPONSE_1230_OK	40625	0.421	0.339	0	0	0	0

Items with largest decrease in response times



Key	Basename
A	authorisation_request_1100
B	transaction_advice_response_1230

4 Comparison across all tests individually


This section compares the performance between the NFT tests to date for each of the functions/operations/calls included in the corresponding test.

In the box-plots that follow, in each case, the centre is the sample mean response time value in seconds for that particular function/operation/call qualified by the outcome of that function/operation/call. The lower edge of the box is the corresponding sample mean response time value less the sample standard deviation, and the upper edge of the box is the corresponding sample mean response time value plus the standard deviation. The minimum and maximum values are calculated by taking two times the standard deviation in a similar manner.

4.1 Performance of authorisation_request_1100 with outcome: AUTHORIZATION_RESPONSE_1110_OK

The following table shows the performance descriptive statistics for authorisation_request_1100 when the outcomes are AUTHORIZATION_RESPONSE_1110_OK.


TestDate	Description	Basename	Outcome	Count	Percent	Resp	StdDev
2020-12-07	TermAppISO Integrator Routing Regression	authorisation_request	AUTHORIZATION_RESPONSE_1110_OK	160	100.0000	0.087	0.123
2020-12-08	TermAppISO Integrator Routing Regression	authorisation_request	AUTHORIZATION_RESPONSE_1110_OK	160	100.0000	0.081	0.124
2020-12-09	TermAppISO Int Routing Regression	authorisation_request	AUTHORIZATION_RESPONSE_1110_OK	18210	100.0000	0.013	8.841
2020-12-09	TermAppISO	authorisation_request	AUTHORIZATION_RESPONSE_1110_OK	156	100.0000	0.083	0.122
2020-12-16	TermAppISO Integrator Routing Changes	authorisation_request	AUTHORIZATION_RESPONSE_1110_OK	9541	100.0000	0.081	7.550
2020-12-16	TermAppISO with 40 provider threads	authorisation_request	AUTHORIZATION_RESPONSE_1110_OK	9741	100.0000	0.083	7.560
2020-12-16	TermAppISO with 80 provider threads	authorisation_request	AUTHORIZATION_RESPONSE_1110_OK	9431	100.0000	0.084	8.069
2021-01-15	TermAppISO	authorisation_request	AUTHORIZATION_RESPONSE_1110_OK	160	100.0000	0.083	0.049
2021-05-10	TermAppISO	authorisation_request	AUTHORIZATION_RESPONSE_1110_OK	100	100.0000	0.089	0.074



4.2 Performance of authorisation_request_1100 with outcome: disconnect

The following table shows the performance descriptive statistics for authorisation_request_1100 when the outcomes are disconnect.


TestDate	Description	Basename	Outcome	Count	Percent	Resp	StdDev
2020-12-09	TermAppISO Int Routing Regression	authorisation_request_1100	disconnect	304	1.602	4.166	0.205
2020-12-16	TermAppISO Integrator Routing Changes	authorisation_request_1100	disconnect	3	0.015	4.318	0.124
2020-12-16	TermAppISO with 40 provider threads	authorisation_request_1100	disconnect	2	0.010	4.258	0.060
2020-12-16	TermAppISO with 80 provider threads	authorisation_request_1100	disconnect	5	0.026	4.191	0.021
2021-05-10	TermAppISO	authorisation_request_1100	disconnect	7173	50.000	0.027	0.037



4.3 Performance of authorisation_request_1100 with outcome: timeout

The following table shows the performance descriptive statistics for authorisation_request_1100 when the outcomes are timeout.

TestDate	Description	Basename	OutcomeCount	Percent	Resp	StdDev
2020-12-09	TermAppISO Int Routing Regression	authorisation_request_1100	41	0.216	99.999	0
2020-12-16	TermAppISO Integrator Routing Changes	authorisation_request_1100	6	0.031	99.999	0
2020-12-16	TermAppISO with 40 provider threads	authorisation_request_1100	3	0.015	99.999	0
2020-12-16	TermAppISO with 80 provider threads	authorisation_request_1100	6	0.031	99.999	0




4.4 Performance of transaction_advice_response_1230 with outcome: timeout

The following table shows the performance descriptive statistics for transaction_advice_response_1230 when the outcomes are timeout.

TestDate	Description	Basename	OutcomeCount	Percent	Resp	StdDev
2020-12-07	TermAppISO Integrator Routing Regression	transaction_advice_response_timeout	33	0.211	99.999	0
2020-12-08	TermAppISO Integrator Routing Regression	transaction_advice_response_timeout	16	0.101	99.999	0
2020-12-09	TermAppISO Int Routing Regression	transaction_advice_response_timeout	15	0.081	99.999	0
2020-12-09	TermAppISO	transaction_advice_response_timeout	35	0.214	99.999	0
2020-12-16	TermAppISO Integrator Routing Changes	transaction_advice_response_timeout	28	0.145	99.999	0
2020-12-16	TermAppISO with 40 provider threads	transaction_advice_response_timeout	16	0.082	99.999	0
2020-12-16	TermAppISO with 80 provider threads	transaction_advice_response_timeout	57	0.296	99.999	0
2021-01-15	TermAppISO	transaction_advice_response_timeout	20	0.122	99.999	0

TestDate	Description	Basename	Outcome	Count	Percent	Resp	StdDev
2021-05-10	TermAppISO	transaction_advice_response_1230	timeout	14	0.196	99.999	0




4.5 Performance of transaction_advice_response_1230 with outcome: TRANSACTION_ADVICE_RESPONSE_1230_OK

The following table shows the performance descriptive statistics for transaction_advice_response_1230 when the outcomes are TRANSACTION_ADVICE_RESPONSE_1230_OK.

TestDate	Description	Basename	Outcome	Count	Percent	Resp	StdDev
2020-12-07	TermAppISO Integrator Routing Regression	transaction_advice_response_1230	TRANSACTION_ADVICE_RESPONSE_1230_OK	570	99.801	16230097	0
2020-12-08	TermAppISO Integrator Routing Regression	transaction_advice_response_1230	TRANSACTION_ADVICE_RESPONSE_1230_OK	780	99.809	16230094	0
2020-12-09	TermAppISO Int Routing Regression	transaction_advice_response_1230	TRANSACTION_ADVICE_RESPONSE_1230_OK	538	99.809	7363046	0
2020-12-09	TermAppISO	transaction_advice_response_1230	TRANSACTION_ADVICE_RESPONSE_1230_OK	538	99.809	16230094	0
2020-12-16	TermAppISO Integrator Routing Changes	transaction_advice_response_1230	TRANSACTION_ADVICE_RESPONSE_1230_OK	929	99.805	6023042	0

TestDate	Description	Basename	Outcome	Count	Percent	Resp	StdDev
2020-12-16	TermAppISO with 40 provider threads	transaction_advice_response_1230	TRANSACTION_ADVICE_RESPONSE	95	100	0.123042K	0.0000K
2020-12-16	TermAppISO with 80 provider threads	transaction_advice_response_1230	TRANSACTION_ADVICE_RESPONSE	92	100	0.123049K	0.0000K
2021-01-15	TermAppISO	transaction_advice_response_1230	TRANSACTION_ADVICE_RESPONSE	63	100	0.123004K	0.0000K
2021-05-10	TermAppISO	transaction_advice_response_1230	TRANSACTION_ADVICE_RESPONSE	38	100	0.123006K	0.0000K



5 Session details

```

sessionInfo();

## R version 3.6.0 (2019-04-26)
## Platform: x86_64-redhat-linux-gnu (64-bit)
## Running under: CentOS Linux 7 (Core)
##
## Matrix products: default
## BLAS/LAPACK: /usr/lib64/R/lib/libRblas.so
##
## locale:

```

```
## [1] LC_CTYPE=en_US.UTF-8      LC_NUMERIC=C
## [3] LC_TIME=en_US.UTF-8         LC_COLLATE=en_US.UTF-8
## [5] LC_MONETARY=en_US.UTF-8     LC_MESSAGES=en_US.UTF-8
## [7] LC_PAPER=en_US.UTF-8       LC_NAME=C
## [9] LC_ADDRESS=C               LC_TELEPHONE=C
## [11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C
##
## attached base packages:
## [1] grid      stats      graphics  grDevices  utils      datasets  methods
## [8] base
##
## other attached packages:
## [1] pander_0.6.3  doBy_4.6.7      cmlrutils_1.18 XML_3.98-1.20
## [5] scales_1.1.1  ggplot2_3.3.2  BSDA_1.2.0      lattice_0.20-38
##
## loaded via a namespace (and not attached):
## [1] Rcpp_1.0.5      highr_0.8        pillar_1.4.6     compiler_3.6.0
## [5] class_7.3-15    tools_3.6.0      digest_0.6.25    evaluate_0.14
## [9] lifecycle_0.2.0 tibble_3.0.3     gtable_0.3.0     pkgconfig_2.0.3
## [13] rlang_0.4.7     Matrix_1.2-17    yaml_2.2.1       xfun_0.17
## [17] e1071_1.7-4     withr_2.2.0      stringr_1.4.0    dplyr_1.0.2
## [21] knitr_1.30      generics_0.0.2   vctrs_0.3.2      tidyselect_1.1.0
## [25] glue_1.4.1      R6_2.4.1         rmarkdown_2.6    farver_2.0.3
## [29] tidyr_1.1.2     purrr_0.3.4      cmlbrandr_3.0    magrittr_1.5
## [33] backports_1.1.8 ellipsis_0.3.1   htmltools_0.5.0 MASS_7.3-51.4
## [37] colorspace_1.4-1 Deriv_4.0.1      labeling_0.3     stringi_1.5.3
## [41] munsell_0.5.0   broom_0.7.0      crayon_1.3.4
```